

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Major irrigation - Godavari Delta System - East and West Godavari
-Rabi crop 2009-10 scarcity of water- Ayacut contemplated -
Permission to release water to the ayacut for Rabi 2009-10 under
Godavari Delta System in East and West Godavari Districts- Orders
- Issued.

IRRIGATION AND CAD (MAJOR.VII) DEPARTMENT

G.O.Rt.No.973

Dated:15.12.2009.

Read the following:-

- 1.Govt.Memo.No.32379/Major.VII.1/2009, dt.10.12.09.
- 2.From the Engineer-in-Chief (Irrigation),Hyderabad,
Lr.No.ENC(I)/DCE IV/OTMGDS/AEE2/6911, Vol.34,
Dated 10.12.2009.
- 3.G.O.Rt.No.956 I&CAD(Maj.VII)Dept.,dated 14.12.2009.
- 4.Govt.Memo.No.32662/Major.VII.1/2009,dt.14.12.2009.

@@@

ORDER

In the reference 1st read above, Government have constituted an expert committee to assess the river inflow pattern with reference to present discharges for review of the ayacut contemplated for Rabi 2009-10 under Godavari Delta System and also to assess the quantity of water that can be lifted from river and drains to bring additional ayacut under irrigation.

2. In the reference 2nd read above, the Expert Committee submitted report on the status of inflows, release and water demand for the present Rabi crop of 2009-10 under Godavari Delta System in East and West Godavari Districts.

3. After careful examination of the issue and as recommended by the Expert Committee, Government hereby accord permission to release water to the ayacut for Rabi 2009-10 under Godavari Delta System in East and West Godavari Districts as detailed belowa with the following conditions-

Sl.No.	Location	Net area as per L.G.O.
1.	Godavari Eastern Delta	81254 acres
2.	Godavari Central Delta	80330 acres
2.	Godavari Western Delta	173845 acres
Total		3,35,429 acres

PTO

::2::

- 1.The District Collector shall be given instructions not to allow any additional ayacut. This shall be strictly adhered to by forming the Committees at District level for Vigilance and monitoring.
 - 2.Sileru Power generation shall be as per the requisition of the Irrigation Department.
 - 3.No pumping shall be allowed on U/s of Barrage except for VIWSCO and for Drinking purposes.
 4. Water shall not be allowed for Fish ponds during 20.12.2009 to 20.4.2010 and to this effect notification shall be issued in the District Gazette.
4. The Engineer-in-Chief(Irrigation),Hyderabad shall take action accordingly.
(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To

The Engineer-in-Chief (irrigation),Hyderabad.

Copy to:

The District Collector, West Godavari , Eluru.

The District Collector, East Godavari, Kakinada.

The Superintending Engineer, irrigation Circle, Eluru, W.G.Dist.

The Superintending Engineer, Irrigation Circle, Dowlaiswaram,
East Godavari District.

The PS M(M&MI).

The PS Prl.Secretary (I)

SF/SCs.

//FORWARDED;;BY ORDER //

SECTION OFFICER